

th•mann



Invoice Nr.: 64530266

Thomann GmbH, Hans-Thomann-Str. 1, D-96138 Burgebrach

Park kultúry a oddychu
ICO: 00187437 DIC: 2021225272
Hlavná 6395/50A

SK-08001 Prešov

Invoice Nr.: 64530266

Date: 15.12.2022

Your customer no.: 7391389

VAT. Nr.: SK4120015526

Delivery address:

PARK KULTÚRY A ODDYCHU
PREŠOV, Hlavná 50

Park kultúry a oddychu

Hilár Šaška

Hlavná 6395/50a

Datum:

29 -12- 2022

Číslo spisu:

Číslo záznamu:

Prilohy/listy

Vybavuje:

Order No.:**202250.048056 / 2822**

Sales Person:

Veronika Polackova

Telephone:

0049 9546 / 9223 55

Method of Shipment:

UPS

Your Reference:

854

Please include your customer no.: 7391389 with payment by bank transfer

Pos.	Article	Amount	Unit	Unit Price	Total Price
001.00	532468 ETC Source 4WRD Color Kit; 7068A1201; LED conversion kit; converts conventional Source Four profile fixtures (not suitable for jr series) into colour-changing RGBA LED fixtures and enables additive colour mixing, saturated area light or fast colour changes; RGBA colour array; For use on undimmed fixed-current circuits; Technical data:; Colour temperature: 2200 to 6500 K; Max. Lumen (100 % / 3200 K / 5600 K): 4,881 / 3,713 / 4,463; Control: DMX/RDM via RJ45; Power supply: 100 to 240 V (50 to 60 Hz); Power consumption: 143 W @ 240 V; Power connection: hard-wired 1m cable with open ends; Controllable fan; Protection class: IP20; Housing colour: Black; Weight: 1.63 kg;	1	piece	0,00 EUR	0,00 EUR
002.00	489080 EV EVOLVE 30M Subwoofer Cover, suitable for Evolve 30M, black	1	piece	58,00 EUR	58,00 EUR

Amount carried forward : **58,00 EUR**

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

USt-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEDB760

MUSIC IS OUR PASSION

th•mann



Invoice Nr.: 64530266

MUSIC IS OUR PASSION

Page 2 of Invoice Nr.: 64530266 from 15.12.2022 to ICO: 00187437 DIC: 2021225272 (customer number: 7391389)

Pos.	Article	Amount	Unit	Unit Price	Total Price
003.00	480245	1	piece	1390,00 EUR	1.390,00 EUR
EV Evolve 30M; portable column system with DSP and Bluetooth-Streaming; 10" Subwoofer and 6x 2,8" HF driver; easy and intuitive installation via pole with integrated wire assembly and a magnetic locking; Electro-Voice QuickSmart Mobile application utilizes Bluetooth for wireless configuration, control and monitoring of up to six Evolve systems simultaneously; QuickSmartDSP provides best processing via single-knob user interface with LCD; DSP functions: 4 presets (Music, Live, Speech, Club), multi-band EQ, 5 user-presets, output delay, phantom power, visual monitoring, input level control and master volume; Inputs: 6x XLR/6,3mm jack combi inputs, 1x 3,5mm stereo jack, 1x stereo RCA, 1x 6,3mm TRS Hi-Z, 1x 6,3mm TRS foot switch; Outputs: 1x XLR Mix, 1x XLR AUX; frequency response: 51Hz - 20kHz @-3dB, 45Hz - 20kHz @-10dB; SPL: max 123dB; coverage (HxV): 120°x40°; Power (Peak): 1000 Watts; crossover frequency: 200Hz; Enclosure: sub 15mm plywood, column composite, pole aluminium; including carrying bag for column and pole; dimension (HxWxD): Sub 448 x 332 x 432 mm, column 620 x 95 x 157 mm, pole 600 x 48 x 55 mm; weight: sub 15,8kg, column 2,7kg, pole 0,85kg; colour: black, Suitable Subwoofer cover: Art. 489080, suitable Transport case 497165 (not included), suitable short speaker pole: 423715 (not included)					
004.00	149386	8	piece	309,00 EUR	2.472,00 EUR
Sennheiser MKE2-EW Gold, condensator lapel microphone, omni-directional, 20 - 20.000 Hz, 142 dB SPL max, 1000 Ohm, sensitivity 5 mV/Pa +/- 3 dB, black, length of cable 1,6m, diameter 4,8mm, incl. 1x MZC-2-1, 1x MZC 2-2, 1x MZQ 02					
005.00	413571	5	piece	347,00 EUR	1.735,00 EUR
Audio-Technica ATM350D condenser clip-microphone with drum clip holder, modular system for high flexibility with different available holder and capsules, cardioid, 40 - 20.000 Hz, switchable Low-Cut Filter @ 80 Hz, 200 Ohms, 159 dB SPL max, -49 dB (3,5 mV) re 1V @ 1 PA., 11 - 52V phantom power required, cable length 4m, removeable XLR Phantomadapter (HRS4M), dimensions capsule: 37,8 x 12,2 mm, weight microphone: 14,5g, comprising of: ATM350 microphone, AT8490 gooseneck, AT8491D drum clamp, AT8543 phantom adaptor, Hardcase, AT8468 tie holder, 15 years warranty if registered at audio-technica.com within 30 days					
006.00	230195	2	piece	0,00 EUR	0,00 EUR
Sennheiser MMD 945-1 BK, capsule for Sennheiser EW G3, G4, EW-D and SKM 2000 series handheld transmitter, dynamic, 1.5mV/Pa, 150dB, supercardioid. Colour: Black					
008.00	444360	2	piece	0,00 EUR	0,00 EUR
Sennheiser SK 500 G4 BW Band, UHF pocket transmitter with C11, audio frequency range 25 - 18.000 Hz, charging contacts for optional battery BA 2015 (NiMH), pilot tone, 4-segment battery display, frequency range BW Band 626 - 698 MHz					

Amount carried forward : 5.655,00 EUR

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 BurgebrachBank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKBinfo@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGBGeschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: BurgebrachPostbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFFUSt-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEDB760

th•mann



Invoice Nr.: 64530266

MUSIC IS OUR PASSION

Page 3 of Invoice Nr.: 64530266 from 15.12.2022 to ICO: 00187437 DIC: 2021225272 (customer number: 7391389)

Pos.	Article	Amount	Unit	Unit Price	Total Price
011.00	272754 Gator GM-7W-TSA, Wireless Mic Case for 7 Mics, 2 lift-out trays with 4 adjustable dividers, TSA latches, dimensions 457 x 330 x 228 mm, weight 2,7 Kg; space for the 7 microphones round about 24 cm x 3,5 cm each, inner dimensions of the two lift-out trays round about 39,3 x 4,7 x 26,4 cm (width x height x depth)	2	piece	158,00 EUR	316,00 EUR
012.00	166130 Littlite 18 XR 3 LED 497146 18"/45cm, XLR direct connection for XLR D-3-f socket, 90° degrees	1	piece	68,00 EUR	68,00 EUR
013.00	400697 DPA DPA DDP 6001, belt clip for DAD6001BC & DAD4099	2	piece	5,80 EUR	11,60 EUR
014.00	213847 DPA MHS6005, mic holder 5 pcs for Violine to fix DPA lapel mics as DPA 4060 etc.	2	piece	23,40 EUR	46,80 EUR
015.00	372798 SKB R2U Roto Rack, 19" 2 U plastic rack, rack depth 44,70 cm, two recessed handles, Recessed latches, heavy duty black plastic housing, external dimensions: 609 x 569 x 157 mm, weight 4,90 Kg,	3	piece	245,00 EUR	735,00 EUR
016.00	412583 SKB R3U Roto Rack, 19" 3 U plastic rack, rack depth 44,70 cm, two recessed handles, 2x Recessed latches, heavy duty black plastic housing, rackrails front and back, screws included, external dimensions: 609 x 569 x 193 mm, weight 5,58 kg,	2	piece	248,00 EUR	496,00 EUR
017.00	442655 Sennheiser SKP 500 G4 / BW-Band, plug-on transmitter for EW G4-Series, 48V Phantom, 72 MHz bandwidth, 2x 1,5 Volt batteries, frequency-range B-Band, 626 -698 MHz	6	piece	0,00 EUR	0,00 EUR
018.00	416112 Myers Pickups The Grip Plus-6 with Bass Extension, Includes: active preamp module with suction cup, 6" flexible micro-goosenecks, 47" flexible micro-gooseneck, saddle-clip with cork and rubber padding, feather clip with rubber boot and bumper, suction-mini, Myers micro-windscreens.	1	piece	228,00 EUR	228,00 EUR

Amount carried forward : 7.556,40 EUR

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 BurgebrachBank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKBinfo@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGBGeschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: BurgebrachPostbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFFUSt-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB33HAN3333333333

th•mann



Invoice Nr.: 64530266

MUSIC IS OUR PASSION

Page 5 of Invoice Nr.: 64530266 from 15.12.2022 to ICO: 00187437 DIC: 2021225272 (customer number: 7391389)

Pos.	Article	Amount	Unit	Unit Price	Total Price
001.00	532468 ETC Source 4WRD Color Kit; 7068A1201; LED conversion kit; converts conventional Source Four profile fixtures (not suitable for jr series) into colour-changing RGBA LED fixtures and enables additive colour mixing, saturated area light or fast colour changes; RGBA colour array; For use on undimmed fixed-current circuits; Technical data: Colour temperature: 2200 to 6500 K; Max. Lumen (100 % / 3200 K / 5600 K): 4,881 / 3,713 / 4,463; Control: DMX/RDM via RJ45; Power supply: 100 to 240 V (50 to 60 Hz); Power consumption: 143 W @ 240 V; Power connection: hard-wired 1m cable with open ends; Controllable fan; Protection class: IP20; Housing colour: Black; Weight: 1.63 kg;	2	piece	0,00 EUR	0,00 EUR
006.00	230195 Sennheiser MMD 945-1 BK, capsule for Sennheiser EW G3, G4, EW-D and SKM 2000 series handheld transmitter, dynamic, 1.5mV/Pa, 150dB, supercardioid. Colour: Black	2	piece	0,00 EUR	0,00 EUR
008.00	444360 Sennheiser SK 500 G4 BW Band, UHF pocket transmitter with C11, audio frequency range 25 - 18.000 Hz, charging contacts for optional battery BA 2015 (NiMH), pilot tone, 4-segment battery display, frequency range BW Band 626 - 698 MHz	6	piece	0,00 EUR	0,00 EUR
017.00	442655 Sennheiser SKP 500 G4 / BW-Band, plug-on transmitter for EW G4-Series, 48V Phantom, 72 MHz bandwidth, 2x 1,5 Volt batteries, frequency-range B-Band, 626 -698 MHz	2	piece	0,00 EUR	0,00 EUR
007.00	518242 Klark Teknik DN200 V2 Active DI - Two-channel DI box, Neutrik XLR/jack combo with HiZ input, stereo mini-jack input, phantom power switchable for each channel individually, sum switch routes both inputs to both outputs, split switch routes left input to both outputs, 20 dB input pad and ground lift switchable, dimensions (WxHxD): 118 x 63 x 142 mm, weight: 0.65 kg	4	piece	0,00 EUR	0,00 EUR

Amount carried forward : 29.895,40 EUR

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 BurgebrachBank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKBinfo@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGBGeschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: BurgebrachPostbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFFUSt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760

th•mann



Invoice Nr.: 64530266

MUSIC IS OUR PASSION

Page 4 of Invoice Nr.: 64530266 from 15.12.2022 to ICO: 00187437 DIC: 2021225272 (customer number: 7391389)

Pos.	Article	Amount	Unit	Unit Price	Total Price
019.00	342	3	piece	877,00 EUR	2.631,00 EUR
Please note: Position 001.00 (ETC S4WRD COLOR KIT) has already been charged. 2 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.					
020.00	342	4	piece	195,00 EUR	780,00 EUR
Please note: Position 006.00 (SENNHEISER MMD 945-1 BK) has already been charged. 2 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.					
021.00	342	4	piece	179,00 EUR	716,00 EUR
Please note: Position 007.00 (KLARK TEKNIK DN200 V2 ACTIVE DI) has already been charged. 4 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.					
022.00	342	8	piece	444,00 EUR	3.552,00 EUR
Please note: Position 008.00 (SENNHEISER SK 500 G4 BW BAND) has already been charged. 6 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.					
023.00	342	4	piece	1090,00 EUR	4.360,00 EUR
Please note: Position 009.00 (SENNHEISER EW 500 G4 945 BW BAND) has already been charged. 4 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.					
024.00	342	4	piece	1525,00 EUR	6.100,00 EUR
Please note: Position 010.00 (SENNHEISER EW 500 G4-KK205 BW BAND) has already been charged. 4 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.					
025.00	342	8	piece	525,00 EUR	4.200,00 EUR
Please note: Position 017.00 (SENNHEISER SKP 500 G4 / BW-BAND) has already been charged. 2 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.					

The following items will be dispatched automatically as soon as they are back in stock:

Amount carried forward : 0,00

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrachinfo@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: BurgebrachUSt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKBRaiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGBPostbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFFDeutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEDB760

th•mann



Invoice Nr.: 64530266

Page 6 of Invoice Nr.: 64530266 from 15.12.2022 to ICO: 00187437 DIC: 2021225272 (customer number: 7391389)

Pos.	Article	Amount	Unit	Unit Price	Total Price
009.00	438280	4	piece	0,00 EUR	0,00 EUR
Sennheiser ew 500 G4 945 BW Band, UHF Wireless System with SKM 500 G4 handheld transmitter with E945 capsule, dynamic, super-cardioid, EM 300-500 G4 9,5" receiver, 72 MHz bandwidth, 20 banks with each up to 32 presets, up to 32 compatible channels, remote control and frequency management via RJ45 network connector and WSM software (Wireless System Manager), audio frequency range 25 - 18.000 Hz, infra red data and frequency transmission, handheld transmitter with charging contacts for optional BA 2015 (NIMH) rechargeable battery pack, pilotone, autotune to find free frequencies, internal EQ, 60dB Audio Gain, Soundcheck-Mode, 4-segment battery level on transmitter and receiver, HDX-Compander, frequency range BW Band 626 - 698 MHz, LCD display with NF and channel, switchable transmitted power 10/30/50mW, 2 BNC antenna connectors, XLR-male balanced and jack unbalanced out, external powersupply 10,5 - 16 V DC, incl. GA 3 rackmount, microhone clamp, powersupply NT2 and 2x AA-batteries, compatible capsules: Sennheiser EW, Neumann and MD 9235 Please note: Due to every country having different regulations, you may need to Contact your local licensing authorities before using a wireless system.					
010.00	448971	4	piece	0,00 EUR	0,00 EUR
Sennheiser ew 500 G4-KK205 BW Band, UHF Wireless System with SKM 500 G4 handheld transmitter NEUMANN KK 205 condenser capsule (supercardioid) and EM 300-500 G4 9,5" receiver, 88 MHz bandwidth, 20 banks with each up to 32 presets, up to 32 compatible channels, remote control and frequency management via RJ45 network connector and WSM software (Wireless System Manager), audio frequency range 25 - 18.000 Hz, infra red data and frequency transmission, handheld transmitter with charging contacts for optional BA 2015 (NIMH) rechargeable battery pack, pilotone, autotune to find free frequencies, internal EQ, 60dB Audio Gain, Soundcheck-Mode, 4-segment battery level on transmitter and receiver, HDX-Compander, frequency range BW Band 626 - 698 MHz, LCD display with NF and channel, switchable transmitted power 10/30/50mW, 2 BNC antenna connectors, XLR-male balanced and jack unbalanced out, external powersupply 10,5 - 16 V DC, incl. GA 3 rackmount, microhone clamp, powersupply NT2 and 2x AA-batteries, compatible capsules: Sennheiser EW, Neumann and MD 9235 Please note: Due to every country having different regulations, you may need to Contact your local licensing authorities before using a wireless system.					

Value of goods: 29.895,40 EUR

Net amount: 24.912,83 EUR

20,00% Vat.: 4.982,57 EUR

Total amount: 29.895,40 EUR**Method of payment:**

Bank transfer 29.895,40 EUR

Thank you for your purchase!Please see overleaf for our standard terms and conditions.
Unless otherwise specified the invoice date accounts for the date of payment /delivery.Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrachinfo@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: BurgebrachUSt-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKBRaiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGBPostbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFFDeutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760

MUSIC IS OUR PASSION